



BLAZE
OUTDOOR PRODUCTS
Fire Pit Owner's Manual
BLZ-FP-PELLET

⚠ WARNING: FOR OUTDOOR USE ONLY

⚠ ATTENTION

INSTALLER: PLEASE LEAVE THESE INSTRUCTIONS WITH THE CONSUMER.

CONSUMER: PLEASE READ & RETAIN THESE INSTRUCTIONS FOR FUTURE REFERENCE AND BEFORE INSTALLING OR OPERATING.

⚠ WARNING

- Improper installation, adjustment, alteration, service, or maintenance can cause injury, death, or property damage.
- Read the installation, operation, and maintenance instructions thoroughly before installing, operating, or servicing this equipment to reduce risk of fire, burn hazard, or other injury.
- This manual should be retained for your information.
- Do not operate this fire pit without having read this manual.
- NOTE: This fire pit is not intended for commercial use.

⚠ WARNING

- Do not store or use gasoline or other flammable vapors and liquids in vicinity of this or any other appliance.
- An LP gas cylinder not connected for use shall not be stored in the vicinity of this or any other appliance.
- Never operate with a LP gas cylinder inside.

⚠ CARBON MONOXIDE HAZARD

- This fire pit will produce carbon monoxide which has no odor.
- As with any fire pit, harmful carbon monoxide is produced during the combustion process that should not be allowed to accumulate in a confined space.
- Please note since hot air rises above this fire pit while in operation, covered locations must be avoided.
- Using this fire pit in an enclosed space can cause death.
- Never use this fire pit in an enclosed space such as a camper, tent, car, or home.
- Do not locate this fire pit where an overhang or awning may cover it.

GENERAL SAFETY & INSTALLATION WARNINGS

- Safe operation of this fire pit depends upon its proper installation.
- A qualified professional installer and service technician must perform adjustments and service of this fire pit.
- Proper location and proper use is essential to ensure safe and continued trouble-free operation.
- Any non-approved alterations made to the fire pit will void the product's warranty.

NOTE: The manufacturer cannot be held responsible for damage or injury caused by improper use of this fire pit.

IMPORTANT: Consult the AHJ (Authority Having Jurisdiction) or local contractor of any uncertainty in regards to installation.

IMPORTANT: Have an ABC Fire Extinguisher accessible at all times.

FIRE PIT INSTALLATION: This fire pit must be installed in accordance with all local codes.

▲ CALIFORNIA PROPOSITION 65 WARNING

The burning of gas fuel generates some by-products which are on the list of substances which are known by the State of California to cause cancer or reproductive harm. California law requires businesses to warn customers of potential exposure to such substances. To minimize exposure to these substances, always operate the unit according to the use and care manual, ensuring you provide good ventilation when operating.

▲ WARNING

- Improper installation, adjustment, alteration, service or maintenance can cause injury or property damage.
- Read the installation, operating and maintenance instructions thoroughly before installing or servicing this fire pit.

▲ WARNING

- Do not use the fire pit as storage area for flammable materials. Keep area around fire pit clear and free from combustible materials, gasoline, and other flammable vapors and liquids. Failure to do so can result in death, explosion, or fire.

▲ WARNING

- This fire pit should be inspected before each use and at least annually by a qualified service person.
- More frequent cleaning will be required as necessary.
- Circulating air passages of the fire pit must be kept clean.

▲ WARNING

- **Fire Risk/Burn Risk:** This fire pit is HOT. DO NOT TOUCH. SEVERE BURNS MAY RESULT. CLOTHING COULD IGNITE
- CAREFULLY SUPERVISE children in areas where fire pits are located during and after operation.
- Alert children and adults to hazards of high temperatures.
- Clothing or other flammable materials should not be near the fire pit.
- The fire pit will remain hot for long periods of time after use. Hot embers could remain hot for days after use.

When using your Blaze fire pit, please read and follow these basic precautions:

WARNING

To reduce the risk of fire, electric shock, or injury, read and follow these basic precautions before installing/operating your fire pit.

IMPORTANT: Consult the AHJ (Authority Having Jurisdiction) or local contractor of any uncertainty.

WARNING

This unit is for outdoor use only!

Do not operate in a building, garage or any other enclosed areas. This could result in carbon monoxide buildup which could result in injury or death.

FIRE PIT INSTRUCTIONS

WARNING: FOR OUTDOOR USE ONLY

Please read and follow the instructions below. In addition to the information below, you must check your local codes and consult the local authority having jurisdiction.

- Do not operate in a building, garage or any other enclosed areas. This could result in carbon monoxide buildup which could result in injury or death.
- Ensure your fire pit is positioned safely away from anything that can catch fire.
- This fire pit is not approved to be installed in or on any recreational vehicles and /or boats. This is for single family/residential use only.
- When determining a suitable location take into account concerns such as exposure to wind, and proximity to traffic paths.

When selecting a location, there must be the following clearances:

Fire Pit Clearances	
Above (If Applicable)	N/A *No overhead construction*
Sides Surrounding Fire Pit from Structures or Combustibles	6 ft

- Use on **non-combustible** materials and construction only.
- The determination of whether a material is combustible or non-combustible construction is made by the local fire marshal, building inspector or the local safety authority having jurisdiction.
- When building a fire pit, **ADEQUATE VENTILATION** is **REQUIRED**. Consult your local codes and the local authority having jurisdiction in regards to any specific codes. Keep the ventilation openings of the fire pit clear from any debris. **DO NOT** obstruct the flow of combustion and ventilation air to this fire pit.

- Keep any electrical supply cords and types of hoses away from the fire pit.
- Use your fire pit only on a firm level surface. This is not designed for recreational vehicles, and should not be installed on a boat or marine craft.
- Keep the fire pit protected from adverse weather, including rain and winds.
- Many backyards have areas that are partially closed off, such as balconies and pergolas. In some cases, it is hard to decide whether these partially enclosed areas should be classified as indoor areas, particularly in terms of permanent (non-closable) ventilation. Consult the AHJ (Authority Having Jurisdiction) or local contractor of any uncertainty. **THIS FIRE PIT SHALL NOT BE LOCATED UNDER OVERHEAD CONSTRUCTION.**
- Will get hot during use. Use extreme caution when operating.
- Do not touch hot surfaces.
- Close supervision is necessary when this or any appliance is used near children. Keep children at a safe distance during operation and until the fire pit has cooled off.
- Children should not be left alone or unattended in an area where any appliance is in use. They should never be allowed to touch, sit or stand on any part of the fire pit.
- Do not store any LP cylinder or tank in the area of fire pit or any other appliance. Never store an LP cylinder or tank indoors, or within the reach of children.
- The use of accessories or components not recommended by the manufacturer may cause injuries and will void warranty.
- Never lean over the surface when lighting or during use.
- Never use in windy conditions.
- Wear proper clothing when operating. Loose-fitting or hanging garments should never be worn while using the fire pit.
- Never place a “cover” over the fire pit while hot.
- When fire pit is burning, never leave unattended.
- Be cautious after the fire pit has stopped burning that anyone does not touch the fire pit on any part, as the fire pit will have residual heat built up in the materials.
- Fire pits are not designed for cooking food on. Refrain from using fire pit as a method of cooking.

FIRE PIT OPERATION

- Wind and gusty conditions will affect the flame in an unpredictable manner. If conditions exist that are not safe, do not use fire pit.
- Do not use if any part of the fire pit has been submerged under water. Immediately call a qualified service technician to inspect the fire pit.
- Keep leaves, sticks, wood, paper, clothing, food material, and other solid fuels away from the fire pit. Ensure that there are no objects over the top or sides of the fire pit that could interfere with safe operation.
- When not in use, the fire pit must be covered at all times.
- DO NOT use solid wood, gas. Use appropriate wood pellets only.

PELLET SAFETY

- Never add lighter fluid to embers that are already hot and/or warm.
- Never use gasoline, kerosene, or other highly volatile fluids as a starter due to the explosion hazard.
- Never use an electric started in the rain or when standing on wet ground.
- Once the fire pit is lit, do not touch the pellets to see if they are hot.
- Always allow embers to burn out completely and let ashes cool completely before disposing.
- Dispose of cold ashes by wrapping them in heavy duty aluminum foil and placing them in a non-combustible container. Be sure no other combustible materials are nearby.
- Extinguished embers and ashes must be placed within a safe distance from all structures and combustible materials.
- Never leave embers and ashes in the fire pit.

Inspection and Setup

- **Inspecting the Unit:** A final inspection of your product occurs at the factory to ensure a quality product is packaged. Please re-check for possible shipping damage immediately after unpacking your fire pit. If the fire pit is found to have some damage, contact your dealer immediately as often the shipping carrier will have a timeframe to report damage. Please also save the packaging material the product came with as that is at times inspected by the shipping carrier.
- Use safety gloves during the following steps.
- Remove the smaller box containing the hardware and shelves
- Remove pellet grate and packaging.
- Using two people carefully remove the pellet drum.
- Insure the while insulation is in place on floor of housing and sitting evenly.
- Turn the unit on its side
- Attached the 4 locking casters to the base using the provided (16) 10/32 x .750" screws and flatwashers.
- Peel all plastic.
- Using the provided brackets, attached the side selves with the (32) 10/32 x .500" screws
- Using two people replace the pellet drum.
- Replace the pellet grate.
- Replace the top pyramid.

Fire Pit Operation

- Always keep your face and body as far away from the fire pit as possible when lighting. Always perform a visual inspection of the fire pit and surrounding area before each use.
- Prior to use, verify that all of the following are correct:
 - Minimum clearances are maintained.
 - All packaging has been removed.
 - All parts and components are properly in place.
- **Caution: Never operate the fire pit unattended. The surface is extremely hot and someone can touch the hot surface and be seriously injured.**
- If you smell gas prior to lighting do not use. Call fire department or Gas Company.
- Ensure there is no debris in fire pit.

FIRE PIT USE

- Remove top pyramid.
- Add desired amount of pellets to pellet drum based on expected duration of use.
 - Do not exceed circular vents at top of pellet drum.

****ALL HEAT LEVELS AND TIMES MAY VARY DUE TO VARIABLE CONDITIONS****

Pellet Weight	High Flame Above Lid	Medium Internal Flame	Smoldering Heat/Embers	Approx. Total Time
10 lbs	25 Min	25 Min	20 – 35 Min	80 min
20 lbs	1 Hour	45 Min	1.25 Hours – 1.5 Hours	3 – 3.5 Hours
40 lbs	2 Hour	45 Min - 1 Hour	4 – 4.5 Hours	6.5 – 7 Hours
60 lbs	3 Hour	2 – 2.5 Hours	5 – 5.5 Hours	10.5 – 11 Hours

- Use lighter fluid or a pellet ignition gel to ignite the fire pit.
- Always follow manufactures safety instructions for safe use of any ignition products.
- After use, excess ashes will need to be vacuumed from below the pellet grate. **To insure there are no existing hot embers, make sure it has been at least 4 days since the last use.**

LIMITED WARRANTY

This Blaze Pellet Fire Pit is warrantied against manufacturing defects under normal use and service for all parts as follows:

- All Stainless Steel Components – Lifetime (Parts Only)
- Casters – 1 Year (Parts Only)
- Pellet Grate – 1 Year (Parts Only)

Installation, repair and maintenance work should be performed by an authorized service technician. Work by unqualified persons could be dangerous and will void the warranty. The incorrect installation of the Blaze Pellet Fire Pit will void the warranty.

Blaze Outdoor Products shall not be liable under this or any implied warranty for incidental or consequential damages and Blaze Outdoor Products liability is limited to the purchase price of the appliance only. This warranty gives you specific legal rights, and you may also have other rights, which may vary from state to state. This warranty is applicable in the United States and Canada only. No one else is authorized to perform any obligations under this warranty

Improper Maintenance, excessive humidity, chlorine, fertilizers, lawn pesticides, chemicals, and salt can affect the Stainless Steel components and for these reasons, the warranties DO NOT COVER DISCOLORATION, SURFACE RUST, OR RUST, unless there is a loss of structural integrity / rust through of the appliance components. This warranty covers defects in material and workmanship.

Consumers are responsible for all labor and shipping cost associated with warranty parts. All warranty claims are subject to manufacturer review. Please make sure to have your sales receipt information to obtain warrant parts. All replacement parts can be purchased through your local stocking dealer.